

QUALIKO

PROFESSIONAL LIGHT COMPONENTS

2022

SWING

QUALIKO^{srl}
PROFESSIONAL LIGHT COMPONENTS



Spot LED orientabile • Adjustable LED ceiling spot



Vedere pagina 168 per i kit che includono la lampadina LED - See page 168 for kits including LED lamp



Type	Part N°	Dimensions (mm)	Standard	Colour	Packing box dimensions (mm)	Packing box weight (kg)
SWING BLACK	BJ1402050T1N	Ø57,5x190h	MR16	Black	100x75x255h	0,46
SWING WHITE	BJ1402050T1B	Ø57,5x190h	MR16	White	100x75x255h	0,46



- Spot LED Orientabile**
- Struttura in alluminio – Colore bianco o nero
 - Orientabile su due assi
 - Installazione a parete o plafone
 - Portalampada GU10 incluso

- Adjustable LED spot**
- Aluminum structure - White or black color
 - Adjustable on two axes
 - Wall or ceiling installation
 - GU10 lamp holder included

- Einstellbarer LED-Spot**
- Aluminiumstruktur - Weiße oder schwarze Farbe
 - Einstellbar auf zwei Achsen
 - Wand- oder Deckenmontage
 - GU10 Lampenfassung enthalten

- Spot à LED orientable**
- Corps en aluminium – Couleur blanche ou noire
 - Orientable sur deux axes
 - Fixation sur le mur ou au plafond
 - Équipé de douille GU10


- Punto LED ajustable**
- Estructura de aluminio - Color blanco o negro
 - Ajustable en dos ejes.
 - Instalación en pared o techo
 - Portalámparas GU10 incluido





Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	 (mm)	Packing box dimensions (mm)	Packing box weight (kg)
GLAM SQUARE	B15010150Q1B	82x82x35h	MR16	White	70x70	115x95x65h	0,160
GLAM ROUND	B15010950T1B	Ø82x35h	MR16	White	Ø70	115x95x65h	0,160
GLAM ROUND	B15010950T1N	Ø82x35h	MR16	Black	Ø70	115x95x65h	0,160

Vedere pagina 168 per i kit che includono la lampadina LED - See page 168 for kits including LED lamp

 **Faretti per incasso in Alluminio (per Moduli LED)**

- Corpo in alluminio
- Fonte luminosa arretrata anti-abbagliamento
- Per utilizzo in controsoffitti, fissaggio con molle

 **Recessed Aluminium light fixtures (for LED Modules)**

- Aluminium body
- Recessed light source - No dazzle
- To be used in counter ceilings

 **Aluminium-Einbaustrahler (für LED-Module)**

- Aluminiumkörper
- Einbaulichtquelle - Keine Blendung
- Einsatz in Hängedecken, Befestigung durch Sprenglingen

 **Spots encastrables en Aluminium (pour platine LED)**

- Corps en aluminium
- Source lumineuse en retrait - Anti-éblouissement
- Pour utilisation en faux-plafond, fixation avec ressorts

 **Focos empotrables de Aluminio (para Módulos de LED)**

- Cuerpo de aluminio
- Foco empotrable - No deslumbra
- Para ser utilizado en techo




FLIP

QUALIKO^{srl}
PROFESSIONAL LIGHT COMPONENTS



Incassi Alluminio • AluminiumFixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	 (mm)	Packing box dimensions (mm)	Packing box weight (kg)
FLIP SMALL	B40080050T1B	Ø89,5x61,5h	MR16	White	Ø70,5	115x95x65h	0,44
FLIP LARGE	B80040111T1B	Ø148x62,5h	AR111	White	Ø120	155x155x65h	0,75

Vedere pagina 168 per i kit che includono la lampadina LED - See page 168 for kits including LED lamp

FLIP SMALL B40080050T1B

Faretti per incasso in Alluminio (per Moduli LED)

- Corpo in alluminio
- Fonte luminosa arretrata anti-abbagliamento
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)

- Aluminum body
- Recessed light source - No dazzle
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)

- Aluminiumkörper
- Einbaulichtequelle - Keine Blendung
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)

- Corps en aluminium
- Source lumineuse en retrait - Anti-éblouissement
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)

- Cuerpo de aluminio
- Foco empotrable - No deslumbra
- Para ser utilizado en techo

FLIP LARGE B80040111T1B

Faretti per incasso in Alluminio (per Moduli LED)

- Corpo in alluminio
- Fonte luminosa arretrata anti-abbagliamento
- Per utilizzo in controsoffitti, fissaggio con molle

Recessed Aluminium light fixtures (for LED Modules)

- Aluminum body
- Recessed light source - No dazzle
- To be used in counter ceilings

Aluminium-Einbaustrahler (für LED-Module)


- Aluminiumkörper
- Einbaulichtequelle - Keine Blendung
- Einsatz in Hängedecken, Befestigung durch Sprengringen

Spots encastrables en Aluminium (pour platine LED)


- Corps en aluminium
- Source lumineuse en retrait - Anti-éblouissement
- Pour utilisation en faux-plafond, fixation avec ressorts

Focos empotrables de Aluminio (para Módulos de LED)

- Cuerpo de aluminio
- Foco empotrable - No deslumbra
- Para ser utilizado en techo



Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	Ø (mm)	Packing box dimensions (mm)	Packing box weight (kg)
MAYA T1A	B10221050T1A	Ø93	MR16	Aluminium	80	100x100x50h	0,16
MAYA T1N	B10231050T1N	Ø93	MR16	Black	80	100x100x50h	0,16
MAYA T1B	B10221050T1B	Ø93	MR16	White	80	100x100x50h	0,16

Vedere pagina 168 per i kit che includono la lampadina LED - See page 168 for kits including LED lamp

Italy Faretto per incasso in Alluminio (per Moduli LED)

- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

UK Recessed Aluminium light fixtures (for LED Modules)

- Aluminium body
- Adjustable
- To be used in counter ceilings

Germany Aluminium-Einbaustrahler (für LED-Module)


- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen

France Spots encastrables en Aluminium (pour platine LED)

- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Spain Focos empotrables de Aluminio (para Módulos de LED)

- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo




BABEL

QUALIKO
PROFESSIONAL LIGHT COMPONENTS
srl



Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	 (mm)	Packing box dimensions (mm)	Packing box weight (kg)
BABEL Q1A	B10421050Q1A	93x93x23h	MR16	Aluminium	Ø80	115x100x45h	0,16
BABEL Q2A	B18293050Q2A	175x90x23h	MR16	Aluminium	160x80	185x160x45h	0,34
BABEL Q1N	B10423050Q1N	93x93x23h	MR16	Black	Ø80	115x100x45h	0,16
BABEL Q2N	B11824050Q2N	175x90x23h	MR16	Black	160x80	185x160x45h	0,34
BABEL Q1B	B10421050Q1B	93x93x23h	MR16	White	Ø80	115x100x45h	0,16
BABEL Q2B	B18293050Q2B	175x90x23h	MR16	White	160x80	185x160x45h	0,34

Vedere pagina 168 per i kit che includono la lampadina LED - See page 168 for kits including LED lamp

 **Faretti per incasso in Alluminio (per Moduli LED)**

- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

 **Recessed Aluminium light fixtures (for LED Modules)**

- Aluminium body
- Adjustable
- To be used in counter ceilings

 **Aluminium-Einbaustrahler (für LED-Module)**


- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprenglingen


 **Spots encastrables en Aluminium (pour platine LED)**

- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

 **Focos empotrables de Aluminio (para Módulos de LED)**

- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo






Incassi Alluminio • Aluminium fixtures



Vedere pagina 168 per i kit che includono la lampadina LED - See page 168 for kits including LED lamp



Type	Part N°	Dimensions (mm)	Standard	Colour	 (mm)	Packing box dimensions (mm)	Packing box weight (kg)
BASIC 50	B11265E50T1A	Ø78	MR16	Aluminium	Ø60	95x75x45h	0,090
BASIC 35	B10701E35T1A	Ø53	MR11	Aluminium	Ø43	95x80x50h	0,055

Italy Faretto per incasso in Alluminio (per Moduli LED)

- Corpo in alluminio
- Orientamento fisso
- Per utilizzo in controsoffitti, fissaggio con molle

UK Recessed Aluminium light fixtures (for LED Modules)

- Aluminum body
- Not Adjustable
- To be used in counter ceilings

Germany Aluminium-Einbaustrahler (für LED-Module)


- Aluminiumkörper
- Starr
- Einsatz in Hängedecken, Befestigung durch Sprengingen

France Spots encastrables en Aluminium (pour platine LED)


- Corps en aluminium
- Orientation fixée
- Pour utilisation en faux-plafond, fixation avec ressorts

Spain Focos empotrables de Aluminio (para Módulos de LED)


- Cuerpo de aluminio
- No ajustable
- Para ser utilizado en techo





BASIC 35





BASIC 50





Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	 (mm)	Packing box dimensions (mm)	Packing box weight (kg)
INKA T1A	B13506035T1A	Ø70	MR11	Aluminium	Ø60	100x80x45h	0,080
INKA T1N	B13505035T1N	Ø70	MR11	Black	Ø60	100x80x45h	0,080



 **Faretti per incasso in Alluminio (per Moduli LED)**

- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

 **Recessed Aluminium light fixtures (for LED Modules)**

- Aluminum body
- Adjustable
- To be used in counter ceilings

 **Aluminium-Einbaustrahler (für LED-Module)**


- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen

 **Spots encastrables en Aluminium (pour platine LED)**

- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

 **Focos empotrables de Aluminio (para Módulos de LED)**


- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo





Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	 (mm)	Packing box dimensions (mm)	Packing box weight (kg)
TEBE Q1A	B13601035Q1A	70x70x19h	MR11	Aluminium	Ø60	95x80x40h	0,090
TEBE Q1B	B13601035Q1B	70x70x19h	MR11	White	Ø60	95x80x40h	0,090
TEBE Q1N	B13608035Q1N	70x70x19h	MR11	Black	Ø60	95x80x40h	0,090
TEBE Q2A	B13621035Q2A	140x70x19h	MR11	Aluminium	125x60	160x110x45h	0,185
TEBE Q2N	B13628035Q2N	140x70x19h	MR11	Black	125x60	160x110x45h	0,185



 **Faretti per incasso in Alluminio (per Moduli LED)**

- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

 **Recessed Aluminium light fixtures (for LED Modules)**

- Aluminum body
- Adjustable
- To be used in counter ceilings

 **Aluminium-Einbaustrahler (für LED-Module)**


- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen

 **Spots encastrables en Aluminium (pour platine LED)**

- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

 **Focos empotrables de Aluminio (para Módulos de LED)**

- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo




ECLYPSE

QUALIKO^{srl}
PROFESSIONAL LIGHT COMPONENTS



Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	 (mm)	Packing box dimensions (mm)	Packing box weight (kg)
ECLYPSE T1A	B39100111T1A	Ø180	AR111	Aluminium	Ø145	210x190x45h	0,380
ECLYPSE T1N	B39400111T1N	Ø180	AR111	Black	Ø145	210x190x45h	0,380
ECLYPSE T1B	B39100111T1B	Ø180	AR111	White	Ø145	210x190x45h	0,380

Vedere pagina 168 per i kit che includono la lampadina LED e il driver - See page 168 for kits including LED lamp and driver

 **Faretti per incasso in Alluminio (per Moduli LED)**

- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

 **Recessed Aluminium light fixtures (for LED Modules)**

- Aluminum body
- Adjustable
- To be used in counter ceilings

 **Aluminium-Einbaustrahler (für LED-Module)**



- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprenglingen

 **Spots encastrables en Aluminium (pour platine LED)**

- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

 **Focos empotrables de Aluminio (para Módulos de LED)**

- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo





Incassi Alluminio • Aluminium fixtures



Type	Part N°	Dimensions (mm)	Standard	Colour	Ø (mm)	Packing box dimensions (mm)	Packing box weight (kg)
ZENITH Q1A	B31100111Q1A	180x180x23	AR111	Aluminium	Ø145	210x190x45h	0,320
ZENITH Q2A	B32100111Q2A	360x180x23	AR111	Aluminium	315x145	365x210x45h	0,800
ZENITH Q3A	B33100111Q3A	530x180x23	AR111	Aluminium	495x145	540x210x45h	1,170
ZENITH Q1B	B31100111Q1B	180x180x23	AR111	White	Ø145	210x190x45h	0,320
ZENITH Q2B	B32100111Q2B	360x180x23	AR111	White	315x145	365x210x45h	0,800
ZENITH Q3B	B33100111Q3B	530x180x23	AR111	White	495x145	540x210x45h	1,170

Vedere pagina 168 per i kit che includono la lampadina LED e il driver - See page 168 for kits including LED lamp and driver

Italy Faretto per incasso in Alluminio (per Moduli LED)

- Corpo in alluminio
- Orientabile
- Per utilizzo in controsoffitti, fissaggio con molle

UK Recessed Aluminium light fixtures (for LED Modules)

- Aluminium body
- Adjustable
- To be used in counter ceilings

Germany Aluminium-Einbaustrahler (für LED-Module)

- Aluminiumkörper
- Schwenkbar
- Einsatz in Hängedecken, Befestigung durch Sprengringen

France Spots encastrables en Aluminium (pour platine LED)

- Corps en aluminium
- Orientable
- Pour utilisation en faux-plafond, fixation avec ressorts

Spain Focos empotrables de Aluminio (para Módulos de LED)

- Cuerpo de aluminio
- Ajustable
- Para ser utilizado en techo

