

**QUALIKO**

PROFESSIONAL LIGHT COMPONENTS

2022

**KITS** con alimentatori e/o fonti luminose  
including drivers and/or light sources

**QUALIKO**

Lampade LED • LED Lamps

BFLYFIT270PW	FLYLINE	PAG. N° 2	Warm White 2700K	Including: A41H24210A27 + A40PBF10000B
BFLYFIT300PW	FLYLINE	PAG. N° 2	Warm White 3000K	Including: A41H24210A30 + A40PBF10000B
BFLYFIT400PN	FLYLINE	PAG. N° 2	Natural White 4000K	Including: A41H24210A40 + A40PBF10000B

Incassi Gypsolyte • Gypsolyte fixtures

CB9129G50Q1W	ARAGON	PAG. N° 54	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9129G50Q1N	ARAGON	PAG. N° 54	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9247G11Q1W	ARAGON XL	PAG. N° 56	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB9247G11Q1N	ARAGON XL	PAG. N° 56	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB9128GV5Q1W	ARAGON GLASS	PAG. N° 58	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9128GV5Q1N	ARAGON GLASS	PAG. N° 58	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9222G50Q1W	ARAGON FLAT	PAG. N° 60	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9222G50Q1N	ARAGON FLAT	PAG. N° 60	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9223G50Q2W	ARAGON TWIN	PAG. N° 62	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLC7GU1030D
CB9223G50Q2N	ARAGON TWIN	PAG. N° 62	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLC7GU1040D
CB9130G50T1W	OBLO'	PAG. N° 64	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9130G50T1N	OBLO'	PAG. N° 64	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9248G11T1W	OBLO' XL	PAG. N° 66	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB9248G11T1N	OBLO' XL	PAG. N° 66	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB9132V50T1W	OBLO' GLASS	PAG. N° 68	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9132V50T1N	OBLO' GLASS	PAG. N° 68	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9224G50T1W	OBLO' FLAT	PAG. N° 70	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9224G50T1N	OBLO' FLAT	PAG. N° 70	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9131G50Q1W	SLIDE	PAG. N° 72	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9131G50Q1N	SLIDE	PAG. N° 72	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9229G50Q1W	DIAGONAL	PAG. N° 74	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9229G50Q1N	DIAGONAL	PAG. N° 74	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9284G50Q1W	BEAT	PAG. N° 76	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9284G50Q1N	BEAT	PAG. N° 76	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9285G50T1W	SOUL	PAG. N° 78	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9285G50T1N	SOUL	PAG. N° 78	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9286G35Q1W	SNAP	PAG. N° 80	Warm White 3000K	Including: BKITR08SL24W
CB9286G35Q1N	SNAP	PAG. N° 80	Natural White 4000K	Including: BKITR08SL24N
B9287G35Q1W	LOOP	PAG. N° 82	Warm White 3000K	Including: BKITR08SL24W
B9287G35Q1N	LOOP	PAG. N° 82	Natural White 4000K	Including: BKITR08SL24N
CB9262G50Q1W	NEOS SMALL	PAG. N° 84	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9262G50Q1N	NEOS SMALL	PAG. N° 84	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9263G50Q1W	NEOS MEDIUM	PAG. N° 84	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9263G50Q1N	NEOS MEDIUM	PAG. N° 84	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9264G50Q1W	NEOS LARGE	PAG. N° 84	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9264G50Q1N	NEOS LARGE	PAG. N° 84	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9268G50T1W	ARGO SMALL	PAG. N° 86	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9268G50T1N	ARGO SMALL	PAG. N° 86	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9269G50T1W	ARGO MEDIUM	PAG. N° 86	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9269G50T1N	ARGO MEDIUM	PAG. N° 86	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB9270G50T1W	ARGO LARGE	PAG. N° 86	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB9270G50T1N	ARGO LARGE	PAG. N° 86	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D

Incassi LED • LED Downlights

CBD0950TNW1B	ROUND 95	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD1400TNW1B	ROUND 140	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD1700TNW1B	ROUND 170	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD2000TNW1B	ROUND 200	PAG. N° 88	Natural White 4200K	Including: Driver A40PDV24000B
CBD2750TNW1B	ROUND 275	PAG. N° 88	Natural White 4200K	Including: Driver A40FB036000B
CBD3300TNW1B	ROUND 330	PAG. N° 88	Natural White 4200K	Including: Driver A40FB036000B

CBD0950TWW1B	ROUND 95	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD1400TWW1B	ROUND 140	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD1700TWW1B	ROUND 170	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD2000TWW1B	ROUND 200	PAG. N° 88	Warm White 3000K	Including: Driver A40PDV24000B
CBD2750TWW1B	ROUND 275	PAG. N° 88	Warm White 3000K	Including: Driver A40FB036000B
CBD3300TWW1B	ROUND 330	PAG. N° 88	Warm White 3000K	Including: Driver A40FB036000B



# KITS con alimentatori e/o fonti luminose including drivers and/or light sources

QUALIKO

CBD135CTNW0B	ORION 135	PAG. N° 90	Natural White 4000K	Including: Driver A40PD309000B
CBD160CTNW0B	ORION 160	PAG. N° 90	Natural White 4000K	Including: Driver A40PD309000B
CBD190CTNW0B	ORION 190	PAG. N° 90	Natural White 4000K	Including: Driver A40PD309000B
CBD228CTNW0B	ORION 228	PAG. N° 90	Natural White 4000K	Including: Driver A40MCS03000B
CBD135CTWW0B	ORION 135	PAG. N° 90	Warm White 3000K	Including: Driver A40PD309000B
CBD160CTWW0B	ORION 160	PAG. N° 90	Warm White 3000K	Including: Driver A40PD309000B
CBD190CTWW0B	ORION 190	PAG. N° 90	Warm White 3000K	Including: Driver A40PD309000B
CBD228CTWW0B	ORION 228	PAG. N° 90	Warm White 3000K	Including: Driver A40MCS03000B
CBDCL10208WB	LAKE SMALL	PAG. N° 92	Warm White 3000K	Including: Driver A40PLK18500B
CBDCL10213WB	LAKE LARGE	PAG. N° 92	Warm White 3000K	Including: Driver A40PLK30000B
CBDCL10208NB	LAKE SMALL	PAG. N° 92	Natural White 4000K	Including: Driver A40PLK18500B
CBDCL10213NB	LAKE LARGE	PAG. N° 92	Natural White 4000K	Including: Driver A40PLK30000B
CBD19BASTNW0B	OPERA 190	PAG. N° 94	Natural White 4000K	Including: Driver A40PDMC0000B
CBD27BASTNW0B	OPERA 270	PAG. N° 94	Natural White 4000K	Including: Driver A40MCS03000B
CBD19BASTWW0B	OPERA 190	PAG. N° 94	Warm White 3000K	Including: Driver A40PDMC0000B
CBD27BASTWW0B	OPERA 270	PAG. N° 94	Warm White 3000K	Including: Driver A40MCS03000B
CBD13BASTNW0B	KARMA 130	PAG. N° 96	Natural White 4000K	Including: Driver A40PD312000B
CBD28BASTNW0B	KARMA 280	PAG. N° 96	Natural White 4000K	Including: Driver A40MCS03000B
CBD13BASTWW0B	KARMA 130	PAG. N° 96	Warm White 3000K	Including: Driver A40PD312000B
CBD28BASTWW0B	KARMA 280	PAG. N° 96	Warm White 3000K	Including: Driver A40MCS03000B

## Pannelli LED • LED Panels

CBPL6060EACW	60x60 Alu frame	PAG. N° 104	Cool White 6000K	Including: Driver A40PBF06000B
CBPL6060EANW	60x60 Alu frame	PAG. N° 104	Natural White 4200K	Including: Driver A40PBF06000B
CBPL6060EAWW	60x60 Alu frame	PAG. N° 104	Warm White 3000K	Including: Driver A40PBF06000B
CBPL6012EANW	60x120 Alu frame	PAG. N° 106	Natural White 4200K	Including: Driver A40PBF10000B
CBPL6012EAWW	60x120 Alu frame	PAG. N° 106	Warm White 3000K	Including: Driver A40PBF10000B
CBPL3030EACW	30x30 Alu frame	PAG. N° 108	Cool White 6000K	Including: Driver A40PDV24000B
CBPL3030EANW	30x30 Alu frame	PAG. N° 108	Natural White 4200K	Including: Driver A40PDV24000B
CBPL3030EAWW	30x30 Alu frame	PAG. N° 108	Warm White 3000K	Including: Driver A40PDV24000B
CBPL3060EACW	30x60 Alu frame	PAG. N° 108	Cool White 6000K	Including: Driver A40FB036000B
CBPL3060EANW	30x60 Alu frame	PAG. N° 108	Natural White 4200K	Including: Driver A40FB036000B
CBPL3060EAWW	30x60 Alu frame	PAG. N° 108	Warm White 3000K	Including: Driver A40FB036000B
CBPL30120ECW	30x120 Alu frame	PAG. N° 108	Cool White 6000K	Including: Driver A40PBF06000B
CBPL30120ENW	30x120 Alu frame	PAG. N° 108	Natural White 4200K	Including: Driver A40PBF06000B
CBPL30120EWW	30x120 Alu frame	PAG. N° 108	Warm White 3000K	Including: Driver A40PBF06000B
CBPL3030EARG	30x30 Alu frame	PAG. N° 114	RGB	Including: Driver/Controller A40RGBOX424B
CBPL6060EARG	60x60 Alu frame	PAG. N° 114	RGB	Including: Driver/Controller A40RGBOX424B
CBPL6012EARG	60x120 Alu frame	PAG. N° 114	RGB	Including: Driver/Controller A40RGBOX424B

## Plafoniere LED • LED Fixtures

CBAW2253009N	WALLY 30 25°	PAG. N° 116	Natural White 4000K	Including: Driver A40PDV24000B
CBAW2453009N	WALLY 30 45°	PAG. N° 116	Natural White 4000K	Including: Driver A40PDV24000B
CBAW2251235N	WALLY 120 25°	PAG. N° 116	Natural White 4000K	Including: Driver A40FB036000B
CBAW2451235N	WALLY 120 45°	PAG. N° 116	Natural White 4000K	Including: Driver A40FB036000B
CBAW2253009W	WALLY 30 25°	PAG. N° 116	Warm White 3000K	Including: Driver A40PDV24000B
CBAW2453009W	WALLY 30 45°	PAG. N° 116	Warm White 3000K	Including: Driver A40PDV24000B
CBAW2251235W	WALLY 120 25°	PAG. N° 116	Warm White 3000K	Including: Driver A40FB036000B
CBAW2451235W	WALLY 120 45°	PAG. N° 116	Warm White 3000K	Including: Driver A40FB036000B

# KITS con alimentatori e/o fonti luminose including drivers and/or light sources

QUALIKO™

CBAW2253009R	WALLY 30 25° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B
CBAW2453009R	WALLY 30 45° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B
CBAW2251235R	WALLY 120 25° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B
CBAW2251235R	WALLY 120 45° RGB	PAG. N° 118	RGB	Including: Driver/Controller A40RGBOX424B

## Incassi Alluminio • Aluminium fixtures

CBJ140205TBN	SWING WHITE	PAG. N° 146	Natural White 4000K	Including: BLC7GU1040D
CBJ140205TBW	SWING WHITE	PAG. N° 146	Warm White 3000K	Including: BLC7GU1030D
CBJ140205TNN	SWING BLACK	PAG. N° 146	Natural White 4000K	Including: BLC7GU1040D
CBJ140205TNW	SWING BLACK	PAG. N° 146	Warm White 3000K	Including: BLC7GU1030D
CB1501001QBN	GLAM SQUARE WHITE	PAG. N° 148	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB1501001QBW	GLAM SQUARE WHITE	PAG. N° 148	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB1501095TBN	GLAM ROUND WHITE	PAG. N° 148	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB1501095TBW	GLAM ROUND WHITE	PAG. N° 148	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB1501095TNN	GLAM ROUND BLACK	PAG. N° 148	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB1501095TNW	GLAM ROUND BLACK	PAG. N° 148	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB4008000TBN	FLIP SMALL	PAG. N° 150	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB4008000TBW	FLIP SMALL	PAG. N° 150	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB8004011TBN	FLIP LARGE	PAG. N° 150	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB8004011TBW	FLIP LARGE	PAG. N° 150	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB102210T0AN	MAYA ALU	PAG. N° 152	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB102210T0AW	MAYA ALU	PAG. N° 152	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB102210T0BN	MAYA WHITE	PAG. N° 152	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB102210T0BW	MAYA WHITE	PAG. N° 152	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB102210T0NN	MAYA BLACK	PAG. N° 152	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB102210T0NW	MAYA BLACK	PAG. N° 152	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB104210Q1AN	BABEL 1 ALU	PAG. N° 154	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB104210Q1AW	BABEL 1 ALU	PAG. N° 154	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB182930Q2AN	BABEL 2 ALU	PAG. N° 154	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLC7GU1040D
CB182930Q2AW	BABEL 2 ALU	PAG. N° 154	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLC7GU1030D
CB104210Q1BN	BABEL 1 WHITE	PAG. N° 154	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB104210Q1BW	BABEL 1 WHITE	PAG. N° 154	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB182930Q2BN	BABEL 2 WHITE	PAG. N° 154	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLC7GU1040D
CB182930Q2BW	BABEL 2 WHITE	PAG. N° 154	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLC7GU1030D
CB104230Q1NN	BABEL 1 BLACK	PAG. N° 154	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB104230Q1NW	BABEL 1 BLACK	PAG. N° 154	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB118240Q2NN	BABEL 2 BLACK	PAG. N° 154	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLC7GU1040D
CB118240Q2NW	BABEL 2 BLACK	PAG. N° 154	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLC7GU1030D
CB11265ET1AN	BASIC 50 ALU	PAG. N° 156	Natural White 4000K	Including: BPORTGU1020N + BLC7GU1040D
CB11265ET1AW	BASIC 50 ALU	PAG. N° 156	Warm White 3000K	Including: BPORTGU1020N + BLC7GU1030D
CB391000T1AN	ECLYPSE ALU	PAG. N° 162	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB391000T1AW	ECLYPSE ALU	PAG. N° 162	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB391000T1BN	ECLYPSE WHITE	PAG. N° 162	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB391000T1BW	ECLYPSE WHITE	PAG. N° 162	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB394000T1BN	ECLYPSE BLACK	PAG. N° 162	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB394000T1BW	ECLYPSE BLACK	PAG. N° 162	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B

# KITS con alimentatori e/o fonti luminose including drivers and/or light sources

QUALIKO™

CB311000Q1AN	ZENITH 1 ALU	PAG. N° 164	Natural White 4000K	Including: A40TR1140M00 + A40SL125000B
CB311000Q1AW	ZENITH 1 ALU	PAG. N° 164	Warm White 3000K	Including: A40TR1130M00 + A40SL125000B
CB321000Q2AN	ZENITH 2 ALU	PAG. N° 164	Natural White 4000K	Including: 2x A40TR1140M00 + 2x A40SL125000B
CB321000Q2AW	ZENITH 2 ALU	PAG. N° 164	Warm White 3000K	Including: 2x A40TR1130M00 + 2x A40SL125000B
CB331000Q3AN	ZENITH 3 ALU	PAG. N° 164	Natural White 4000K	Including: 3x A40TR1140M00 + 3x A40SL125000B
CB331000Q3AW	ZENITH 3 ALU	PAG. N° 164	Warm White 3000K	Including: 3x A40TR1130M00 + 3x A40SL125000B
CB311000Q1BN	ZENITH 1 WHITE	PAG. N° 164	Natural White 4000K	Including: A40TR1140M00 + A40SL125000B
CB311000Q1BW	ZENITH 1 WHITE	PAG. N° 164	Warm White 3000K	Including: A40TR1130M00 + A40SL125000B
CB321000Q2BN	ZENITH 2 WHITE	PAG. N° 164	Natural White 4000K	Including: 2x A40TR1140M00 + 2x A40SL125000B
CB321000Q2BW	ZENITH 2 WHITE	PAG. N° 164	Warm White 3000K	Including: 2x A40TR1130M00 + 2x A40SL125000B
CB331000Q3BN	ZENITH 3 WHITE	PAG. N° 164	Natural White 4000K	Including: 3x A40TR1140M00 + 3x A40SL125000B
CB331000Q3BW	ZENITH 3 WHITE	PAG. N° 164	Warm White 3000K	Including: 3x A40TR1130M00 + 3x A40SL125000B

## Prodotti in esaurimento • Discontinued products

CBD1000QNW1B	SQUARE 100	PAG. N° 172	Natural White 4200K	Including: Driver A40PDV24000B
CBD1000QWW1B	SQUARE 100	PAG. N° 172	Warm White 3000K	Including: Driver A40PDV24000B
CBD1500QNW1B	SQUARE 150	PAG. N° 172	Natural White 4200K	Including: Driver A40PDV24000B
CBDCL10308NB	MIST SMALL	PAG. N° 172	Natural White 4000K	Including: Driver A40PLK18500B
CBDCL10313NB	MIST LARGE	PAG. N° 172	Natural White 4000K	Including: Driver A40PLK30000B
CBD078CTNW0B	BUD 78	PAG. N° 173	Natural White 4000K	Including: Driver A40NICE2060B
CBD098CTNW0B	BUD 98	PAG. N° 173	Natural White 4000K	Including: Driver A40PLK11300B
CBD116CTNW0B	BUD 116	PAG. N° 173	Natural White 4000K	Including: Driver A40PLK11200B
CBD142CTNW0B	BUD 142	PAG. N° 173	Natural White 4000K	Including: Driver A40PDMC0000B
CBD210CTNW0B	BUD 210	PAG. N° 173	Natural White 4000K	Including: Driver A40MCS03000B
CBD098CTWW0B	BUD 98	PAG. N° 173	Warm White 3000K	Including: Driver A40PLK11300B
CBD116CTWW0B	BUD 116	PAG. N° 173	Warm White 3000K	Including: Driver A40PLK11200B
CBD142CTWW0B	BUD 142	PAG. N° 173	Warm White 3000K	Including: Driver A40PDMC0000B
CBD210CTWW0B	BUD 210	PAG. N° 173	Warm White 3000K	Including: Driver A40MCS03000B
CB9259G11Q1W	CUBE	PAG. N° 173	Warm White 3000K	Including: A40QL11130M2 + A10MT030000B
CB9259G11Q1N	CUBE	PAG. N° 173	Natural White 4000K	Including: A40QL11140M2 + A10MT030000B
CB8444G0T2BN	PIPE ROUND	PAG. N° 178	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB8444G0T2BW	PIPE ROUND	PAG. N° 178	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB8443G0T2BN	PIPE SQUARE	PAG. N° 178	Warm White 3000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1030D
CB8443G0T2BW	PIPE SQUARE	PAG. N° 178	Natural White 4000K	Including: 2x BPORTGU1020N + 2x BLCT7GU1040D
CB2308G50Q1W	ARIEL	PAG. N° 178	Warm White 3000K	Including: BLCT7GU1030D
CB2308G50Q1N	ARIEL	PAG. N° 178	Natural White 4000K	Including: BLCT7GU1040D
CB2309G50T1W	PEGASUS	PAG. N° 178	Warm White 3000K	Including: BLCT7GU1030D
CB2309G50T1N	PEGASUS	PAG. N° 178	Natural White 4000K	Including: BLCT7GU1040D



## SQUARE

**Incastro LED quadrato extrapiatto**

- LED ad alta efficienza

**24 Volt**  
Safety Voltage

**Square extra flat recessed LED downlight**

- High efficiency LED



Vedere pagina 168 per i kit che includono il driver LED - See page 168 for kits including LED driver

RAL 9010

Type	Part N°	Dimensions (mm)	Colour	°Kelvin	Lumen	Power (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
SQUARE 100 NW	<b>BD10024QNWB1B</b>	100x100x28h	Natural White	4200°K	303	6	90x90	200x190x60h	0,26
SQUARE 100 WW	<b>BD10024QWW1B</b>	100x100x28h	Warm White	3000°K	286	6	90x90	200x190x60h	0,26
SQUARE 150 NW	<b>BD15024QNWB1B</b>	150x150x28h	Natural White	4200°K	727	11	125x125	250x240x60h	0,46



## MIST

**Incastro LED tondo alta potenza IP65**

- LED ad alta efficienza



**Round IP65 high power recessed LED downlight**

- High efficiency LED

Vedere pagina 168 per i kit che includono il driver LED - See page 168 for kits including LED driver

Type	Part N°	Dimensions (mm)	Colour	Lumen (Lm)	Voltage Max (V)	Current Max (mA)	Beam °	Power Max (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
MIST SMALL NW	<b>BDCL103A08NB</b>	∅ 80x30h	NW 4000°K	863	38	185	60°	8	∅ 70	115x110x75	0,25
MIST LARGE NW	<b>BDCL103A13NB</b>	∅ 110x50h	NW 4000°K	1318	38	300	60°	13	∅ 95	135x125x110	0,45



## POP

**Incastro a LED tondo ad alta potenza**

- Installazione semplice e veloce - Funziona direttamente a tensione di rete con alimentatore incorporato - Lunga durata



**Round extra powerful recessed LED downlight**

- Easy and quick installation - Works directly with mains voltage (Built-in driver) - Long life time

Type	Part N°	Dimensions (mm)	Colour	Lumen (Lm)	Input V	Beam °	Power Max (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
POP 145 NW	<b>BDL14510NWOB</b>	∅ 145x79h	NW 4000°K	900	100÷240	100°	10	∅ 125	150x150x92h	0,25
POP 175 NW	<b>BDL17513NWOB</b>	∅ 175x85h	NW 4000°K	1200	100÷240	100°	13	∅ 150	180x180x96h	0,35



## BUD

### Incasso a LED tondo ad alta potenza

- Led CITIZEN - Cornice estetica e struttura dissipante in alluminio
- Grande omogeneità luminosa
- Per installazioni di tipo professionale - Funziona in bassa tensione con trasformatore elettronico specifico a corrente costante, fornito a richiesta - Lunga durata



### Round extra powerful recessed LED downlight

- CITIZEN led - Dissipating structure and aesthetic frame in aluminum - High brightness homogeneity
- For professional use - Safety low voltage with specific constant current driver (supplied on request)
- Long life time

Vedere pagina 168 per i kit che includono il driver LED - See page 168 for kits including LED driver

Type	Part N°	Dimensions (mm)	Colour	Lumen (lm)	Voltage Max (V)	Current Max (mA)	Beam °	Power Max (W)	Installation hole (mm)	Packing box dimensions (mm)	Weight (kg)
BUD 78 NW	BD078CCTNWOB	Ø 78x53h	NW 4000°K	324	11	500	46°	6	Ø67	115x96x85	0,13
BUD 98 NW	BD098CCTNWOB	Ø 96x60h	NW 4000°K	606	40	240	40°	10	Ø83	130x120x90	0,21
BUD 116 NW	BD116CCTNWOB	Ø 116x80h	NW 4000°K	998	40	350	20°	14	Ø102	155x125x100	0,31
BUD 142 NW	BD142CCTNWOB	Ø 142x101h	NW 4000°K	1336	40	500	25°	20	Ø122	160x160x130	0,57
BUD 210 NW	BD210CCTNWOB	Ø 210x150h	NW 4000°K	1911	39	700	50°	28	Ø180	215x215x180	1,56
BUD 98 WW	BD098CCTWWOB	Ø 96x60h	WW 3000°K	562	40	240	40°	10	Ø83	130x120x90	0,21
BUD 116 WW	BD116CCTWWOB	Ø 116x80h	WW 3000°K	921	40	350	20°	14	Ø102	155x125x100	0,31
BUD 142 WW	BD142CCTWWOB	Ø 142x101h	WW 3000°K	1299	40	500	25°	20	Ø122	160x160x130	0,57
BUD 210 WW	BD210CCTWWOB	Ø 210x150h	WW 3000°K	1879	39	700	50°	28	Ø180	215x215x180	1,56



## CUBE

### Alloggiamento da soffitto AR111 in Gypsolyte

- Orientabile
- Adatto a moduli LED standard AR111
- Installazione a soffitto
- Lampada non inclusa



### Gypsolyte AR111 ceiling fixture

- Adjustable
- Suitable for standard AR111 LED modules
- To be installed on ceiling
- Bulb not included

Vedere pagina 168 per i kit che includono il LED driver e lampadina LED  
See page 168 for kits including LED driver and LED bulb

Type	Part n°	Dimensions mm	Standard	Colour	Packing box dimensions (mm)	Packing box (kg)
CUBE	B9259G111Q1B	190x190x220h	AR111	White	290x245x250h	5,10



**NEXT** Lampade LED Gypsolyte • LED Gypsolyte lamps

- Applique LED**
- Struttura in Gypsolyte
  - Grande omogeneità luminosa
  - Funziona in bassa tensione con trasformatore incorporato
  - Consumo molto limitato
  - Lunga durata



- LED wall lamp**
- Structure in Gypsolyte
  - Homogeneous light output
  - Safety low voltage with specific included driver
  - Limited consumption
  - Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
NEXT NW	<b>BW8521GLEDNW</b>	100÷250 AC	11±1	1210	NW	4000°K	>80	178X147X125h	230x180x210h	1,20
NEXT WW	<b>BW8521GLEDWW</b>	100÷250 AC	11±1	1190	WW	3000°K	>80	178X147X125h	230x180x210h	1,20
NEXT GOLD NW	<b>BW8521GOLDNW</b>	100÷250 AC	11±1	1210	NW	4000°K	>80	178X147X125h	230x180x210h	1,20
NEXT GOLD WW	<b>BW8521GOLDWW</b>	100÷250 AC	11±1	1190	WW	3000°K	>80	178X147X125h	230x180x210h	1,20



**NEXT** Lampade LED Cemento • LED Concrete lamps


- Applique LED**
- Struttura in Cemento
  - Grande omogeneità luminosa
  - Funziona in bassa tensione con trasformatore incorporato
  - Consumo molto limitato
  - Lunga durata



- LED wall lamp**
- Structure in Concrete
  - Homogeneous light output
  - Safety low voltage with specific included driver
  - Limited consumption
  - Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
NEXT	<b>BWC8521LEDNW</b>	100÷250 AC	11±1	1210	NW	4000°K	>80	178X147X125h	230x180x210h	1,20
NEXT	<b>BWC8521LEDWW</b>	100÷250 AC	11±1	1190	WW	3000°K	>80	178X147X125h	230x180x210h	1,20





## CHRONOS Lampade LED Gypsolyte • LED Gypsolyte lamps



### Applique LED

- Struttura in Gypsolyte
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata



### LED wall lamp

- Structure in Gypsolyte
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
CHRONOS	<b>BW8440GLEDNW</b>	100÷250 AC	8±1	940	NW	4000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS	<b>BW8440GLEDWW</b>	100÷250 AC	8±1	890	WW	3000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS GOLD	<b>BW8440GOLDNW</b>	100÷250 AC	8±1	940	NW	4000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS GOLD	<b>BW8440GOLDWW</b>	100÷250 AC	8±1	890	WW	3000°K	>80	Ø155x59h	200x200x130h	1,00



## CHRONOS Lampade LED Cemento • LED Concrete lamps



### Applique LED

- Struttura in Cemento
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato
- Consumo molto limitato
- Lunga durata



### LED wall lamp

- Structure in Concrete
- Homogeneous light output
- Safety low voltage with specific included driver
- Limited consumption
- Long life time

Type	Part N°	Input (V)	Power (W)	Lumen	Light Colour	°Kelvin (±10%)	CRI	Dimensions (mm)	Packing box dimensions (mm)	Weight (kg)
CHRONOS	<b>BWC8440LEDNW</b>	100÷250 AC	8±1	940	NW	4000°K	>80	Ø155x59h	200x200x130h	1,00
CHRONOS	<b>BWC8440LEDWW</b>	100÷250 AC	8±1	890	WW	3000°K	>80	Ø155x59h	200x200x130h	1,00



## BILLY

### Plafoniere LED IP50

- Struttura in Policarbonato bianco e schermo in PMMA - Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato - Consumo molto limitato
- Lunga durata

### IP50 LED Fixture

- Structure and frame in Polycarbonate, PMMA screen - Homogeneous light output
- Safety low voltage with specific included driver - Limited consumption - Long life time



Type	Part N°	Dimensions (mm)	Light Colour	° Kelvin (±10%)	Lumen	Power (W)	Input (V)	CRI	IP	Packing box dimensions (mm)	Weight (kg)
BILLY 10	BIL50241040B	Ø240x65h	NW	4200°K	890	10±1	100÷240 AC	>80	IP50	245x245x69h	0,60



## AQUA

### Plafoniere LED IP54

- Struttura in Policarbonato bianco e schermo in PMMA - Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore incorporato - Consumo molto limitato
- Lunga durata

### IP54 LED Fixture

- Structure and frame in Polycarbonate, PMMA screen - Homogeneous light output
- Safety low voltage with specific included driver - Limited consumption - Long life time



Type	Part N°	Dimensions (mm)	Light Colour	° Kelvin (±10%)	Lumen	Power (W)	Input (V)	CRI	IP	Packing box dimensions (mm)	Weight (kg)
AQUA 10 NW	BIL271040IPB	Ø270x90h	NW	4200°K	890	10±1	100÷240 AC	>80	IP54	250x250x110h	0,80
AQUA 20 NW	BIL322040IPB	Ø330x100h	NW	4200°K	1680	20±1	100÷240 AC	>80	IP54	360x360x110h	1,10
AQUA 10 WW	BIL271030IPB	Ø270x90h	WW	3000°K	872	10±1	100÷240 AC	>80	IP54	250x250x110h	0,80
AQUA 20 WW	BIL322030IPB	Ø330x100h	WW	3000°K	1646	20±1	100÷240 AC	>80	IP54	360x360x110h	1,10

## TORPEDO



### Plafoniera stagna LED IP65

- Sostituisce la tradizionale plafoniera stagna fluorescente - Corpo in Alluminio.
- Applicazioni tipiche: uffici, aree produttive, supermercati, laboratori, etc.

### LED waterproof IP65 fitting

- Ideal replacement for traditional fluo waterproof fitting - Aluminum body.
- Typical applications: offices, manufacturing areas, supermarkets, laboratories, etc.



Type	Part N°	Dimensions (mm)	Input V	Weight kg	Flux (lm)	° Kelvin	Power (W max)	Beam
TORPEDO 70	B5700000400G	1180x145x65	100÷240	5,90	4430 Lm	4000°K	70	120°



## DAKOTA

**Proiettore LED IP65**

- LED ad alta efficienza Bridgelux - Accensione istantanea

**IP65 LED flood**

- Bridgelux high efficiency LED - Instant ON-OFF



Type	Part N°	Dimensions (mm)	Weight kg	Flux (lm)	°Kelvin	Power W max)	Packing box dimensions (mm)	Packing box Weight (kg)
DAKOTA 70	<b>BF362870400N</b>	360x285x115h	5,500	5565	4100°	70	365x290x118h	5,800



## SLIM

**Proiettore LED IP65**

- LED ad alta efficienza - Accensione istantanea

**IP65 LED flood**

- High efficiency LED - Instant ON-OFF



Type	Part N°	Dimensions	Weight kg	Lumen	°Kelvin (W)	Power	IP	Packing box Dimensions (mm)
SLIM 10 Black	<b>BFSLIM10400N</b>	135x90x20	0,55	630	4000	10	IP65	180x145x40
SLIM 10 White	<b>BFSLIM10400B</b>	135x90x20	0,55	630	4000	10	IP65	180x145x40
SLIM 30 Black	<b>BFSLIM30400N</b>	240x163x30	1,70	2250	4000	30	IP65	300x230x60
SLIM 50 Black	<b>BFSLIM50400N</b>	296x208x37	2,70	3700	4000	50	IP65	360x270x80
SLIM 50 White	<b>BFSLIM50400B</b>	296x208x37	2,70	3700	4000	50	IP65	360x270x80



## HIGH BAY (first generation)

**Campana a LED IP54**

- LED ad alta efficienza Bridgelux - Power Factor > 0,9 - Accensione istantanea

**IP54 High power LED high bay**

- Bridgelux high efficiency LED - Power factor >0,9 - Instant ON-OFF



Type	Part N°	IP	Dimensions (mm)	Input V	Weight kg	LED (Bridgelux)	Flux (lm)	° Kelvin	Campana Bell	Power (W max)	Beam	CRI
HIGH BAY150	<b>BC150B4IP54A</b>	IP54	400x400x560h	90÷264	8,00	4	10500 Lm	4000°K	Aluminium	150	90°	70